

**MARINA COAST WATER DISTRICT - SYSTEM NO. 2710017**

**DISTRIBUTION SYSTEM WATER QUALITY**

**REPORTING PERIOD: 2020 JANUARY**

**Marina Coast Water District Laboratory CDHS-ELAP Laboratory Certificate No. 1617**

WEEK NO.	DATE COLLECTED	SAMPLER NAME	BOTTLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coli	CHLORINE	pH*	LAB TEMP	TURBIDITY	COLOR	ODOR	TOTAL SULFIDE	SPEC. COND.
								RESIDUAL	mg/L	pH Units	°F	NTU	Color Units	TON	mg/L
D	6-Jan-2020	Kelsey	D1	DS-263 Grant Street	Routine	Absent	Absent	1.35	8.12	68	0.089	4	<1	0.003	497
	6-Jan-2020	Kelsey	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.91	7.51	66	0.124	4	<1	<0.002	765
	6-Jan-2020	Kelsey	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.22	7.93	64	0.104	3	<1	0.003	509
	6-Jan-2020	Kelsey	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	1.23	8.03	64	0.085	4	<1	0.003	471
	6-Jan-2020	Kelsey	D5	DS-3203 DeForest Road	Routine	Absent	Absent	1.29	8.07	64	0.092	4	<1	0.003	491
	6-Jan-2020	Kelsey	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.85	7.56	65	6.58	40	<1		753
	6-Jan-2020	Kelsey	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.72	7.48	66	0.272	6	<1		750
	6-Jan-2020	Kelsey	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.83	7.47	66	0.136	5	<1		781
	6-Jan-2020	Kelsey	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.85	7.54	67	0.135	4	<1		790
	6-Jan-2020	Kelsey	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.76	7.56	67	0.086	5	<1		775
A	13-Jan-2020	Kelsey	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.64	7.68	71	0.066	2	<1	0.002	703
	13-Jan-2020	Kelsey	A2	DS-3020 King Circle	Routine	Absent	Absent	0.63	7.63	71	0.059	2	<1	0.002	819
	13-Jan-2020	Kelsey	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.83	7.48	69	0.067	3	<1	0.003	812
	13-Jan-2020	Kelsey	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	0.76	7.60	69	1.06	12	<1	0.003	752
	13-Jan-2020	Kelsey	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.60	7.48	71	0.095	4	<1	0.002	824
	13-Jan-2020	Kelsey	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.65	7.50	69	0.134	4	<1		795
	13-Jan-2020	Kelsey	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.54	7.60	68	0.157	3	<1		781
	13-Jan-2020	Kelsey	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.64	7.58	69	0.132	2	<1		797
	13-Jan-2020	Kelsey	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.63	7.51	70	0.124	4	<1		803
	13-Jan-2020	Kelsey	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.59	7.67	71	0.116	4	1		818
B	21-Jan-2020	Kelsey	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.36	7.73	62	0.069	4	<1	<0.002	482
	21-Jan-2020	Kelsey	B2	DS-3136 Lynscoot Drive	Routine	Absent	Absent	0.63	7.47	61	0.073	3	<1	<0.002	695
	21-Jan-2020	Kelsey	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.54	7.46	61	0.064	4	<1	0.003	638
	21-Jan-2020	Kelsey	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.26	8.04	57	0.114	3	<1	<0.002	422
	21-Jan-2020	Kelsey	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.20	7.97	61	0.138	3	<1	<0.002	482
	21-Jan-2020	Kelsey	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.62	7.43	56	0.150	4	<1		652
	21-Jan-2020	Kelsey	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.69	7.46	61	0.153	4	<1		697
	21-Jan-2020	Kelsey	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.61	7.46	61	0.084	2	<1		692
	21-Jan-2020	Kelsey	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.64	7.53	59	0.093	5	<1		688
	21-Jan-2020	Kelsey	B10	DS Seaside High School	Routine	Absent	Absent	0.63	7.61	60	0.087	4	<1		713
C	27-Jan-2020	Kelsey	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.23	7.88	69	0.078	4	<1	<0.002	651
	27-Jan-2020	Kelsey	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.07	7.64	68	0.089	3	<1	0.002	701
	27-Jan-2020	Kelsey	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.58	7.94	66	0.108	4	<1	0.004	603
	27-Jan-2020	Kelsey	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	1.14	7.85	67	0.132	4	<1	<0.002	603
	27-Jan-2020	Kelsey	C5	DS-3271 Cove Way	Routine	Absent	Absent	1.84	7.91	67	0.160	3	<1	0.004	609
	27-Jan-2020	Kelsey	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.65	7.65	66	0.087	3	1		746
	27-Jan-2020	Kelsey	C7	DS 325 Buna Road	Routine	Absent	Absent	0.77	7.52	67	0.123	4	<1		751
	27-Jan-2020	Kelsey	C8	DS 207 Rome Road	Routine	Absent	Absent	0.76	7.51	67	0.092	3	<1		742
	27-Jan-2020	Kelsey	C9	DS Airport Vault	Routine	Absent	Absent	0.60	7.52	67	0.076	3	1		758
	27-Jan-2020	Kelsey	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.68	7.56	68	0.103	3	<1		749
<b>AVERAGE</b>								<b>0.90</b>	<b>7.65</b>	<b>66</b>	<b>0.295</b>	<b>5</b>	<b>&lt;1</b>	<b>&lt;0.002</b>	<b>689</b>
<b>MAXIMUM</b>								1.84	8.12	71	6.58	40	1	0.004	824
<b>MINIMUM</b>								0.54	7.43	56	0.059	2	<1	<0.002	422

\*pH analyzed past 15 minute hold time (all)

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, February

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
D	3-February-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.66
	3-February-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.63
	3-February-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.95
	3-February-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.96
	3-February-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	1.16
	3-February-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.60
	3-February-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.74
	3-February-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.72
	3-February-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.80
	3-February-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.74
A	10-February-2020	Kelsey	MCWD	A1	DS-3324 Abdv Way	Routine	Absent	Absent	0.86
	10-February-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.92
	10-February-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	0.94
	10-February-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	0.75
	10-February-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.80
	10-February-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.73
	10-February-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.62
	10-February-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.65
	10-February-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.76
	10-February-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.61
B	18-February-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.78
	18-February-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.78
	18-February-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.92
	18-February-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	0.81
	18-February-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.84
	18-February-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.80
	18-February-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.80
	18-February-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.79
	18-February-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.76
	18-February-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.77
C	24-February-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	0.71
	24-February-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	0.85
	24-February-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	0.78
	24-February-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.96
	24-February-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.95
	24-February-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.65
	24-February-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.82
	24-February-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.77
	24-February-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.65
	24-February-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.76

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

\_\_\_\_\_  
 Joe Pineda  
 Operations & Maintenance Supervisor

\_\_\_\_\_  
 March 5, 2020  
 Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

REPORTING PERIOD: 2020, March

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
D	2-Mar-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	1.17
	2-Mar-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.89
	2-Mar-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.74
	2-Mar-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.77
	2-Mar-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.83
	2-Mar-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.63
	2-Mar-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.74
	2-Mar-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.80
	2-Mar-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.88
2-Mar-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.91	
A	9-Mar-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	1.40
	9-Mar-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	1.25
	9-Mar-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	0.99
	9-Mar-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.17
	9-Mar-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.90
	9-Mar-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.83
	9-Mar-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.67
	9-Mar-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.75
	9-Mar-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.88
9-Mar-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.70	
B	16-Mar-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.18
	16-Mar-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.72
	16-Mar-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	1.28
	16-Mar-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.20
	16-Mar-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.99
	16-Mar-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.80
	16-Mar-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.78
	16-Mar-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.84
	16-Mar-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.74
16-Mar-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.77	
C	23-Mar-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.06
	23-Mar-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.22
	23-Mar-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	0.81
	23-Mar-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	1.04
	23-Mar-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.88
	23-Mar-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.76
	23-Mar-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.77
	23-Mar-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.82
	23-Mar-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.67
	23-Mar-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.79
D	30-Mar-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.93
	30-Mar-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.95
	30-Mar-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.91
	30-Mar-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.79
	30-Mar-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	1.44
	30-Mar-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.64
	30-Mar-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.70
	30-Mar-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.87
	30-Mar-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.94
	30-Mar-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.88

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

Joe Pineda  
Operations & Maintenance Supervisor

April 6, 2020  
Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, April

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
A	6-Apr-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.75
	6-Apr-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.99
	6-Apr-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.33
	6-Apr-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.52
	6-Apr-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	1.05
	6-Apr-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.74
	6-Apr-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.70
	6-Apr-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.78
	6-Apr-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.80
	6-Apr-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.68
B	13-Apr-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.78
	13-Apr-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.75
	13-Apr-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.51
	13-Apr-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	0.99
	13-Apr-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.26
	13-Apr-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	1.01
	13-Apr-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.83
	13-Apr-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.80
	13-Apr-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.74
	13-Apr-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.68
C	20-Apr-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.24
	20-Apr-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.39
	20-Apr-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.10
	20-Apr-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	1.11
	20-Apr-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.93
	20-Apr-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.78
	20-Apr-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.69
	20-Apr-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.76
	20-Apr-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.62
	20-Apr-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.74
D	27-Apr-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.88
	27-Apr-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.82
	27-Apr-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.86
	27-Apr-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.63
	27-Apr-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.88
	27-Apr-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.51
	27-Apr-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.66
	27-Apr-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.71
	27-Apr-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.70
	27-Apr-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.80

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

\_\_\_\_\_  
**Joe Pineda**  
 Operations & Maintenance Supervisor

\_\_\_\_\_  
 May 4, 2020  
 Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, May

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
A	4-May-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.79
	4-May-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.58
	4-May-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.38
	4-May-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.13
	4-May-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.80
	4-May-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.74
	4-May-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.52
	4-May-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.70
	4-May-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.79
	4-May-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.71
B	11-May-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.92
	11-May-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.74
	11-May-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.84
	11-May-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	0.81
	11-May-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.68
	11-May-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.74
	11-May-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.72
	11-May-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.73
	11-May-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.72
	11-May-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.65
C	18-May-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	0.97
	18-May-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	0.95
	18-May-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	0.75
	18-May-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.78
	18-May-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.65
	18-May-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.71
	18-May-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.72
	18-May-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.76
	18-May-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.54
	18-May-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.70
D	26-May-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.81
	26-May-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.80
	26-May-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.73
	26-May-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.85
	26-May-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.61
	26-May-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.73
	26-May-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.58
	26-May-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.76
	26-May-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.78
	26-May-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.65

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

June 4, 2020

\_\_\_\_\_  
**Joe Pineda**  
 Operations & Maintenance Supervisor

\_\_\_\_\_  
 Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

REPORTING PERIOD: 2020, June

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
A	1-June-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	1.09
	1-June-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.78
	1-June-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	0.80
	1-June-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	0.75
	1-June-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.77
	1-June-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.68
	1-June-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.66
	1-June-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.72
	1-June-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.54
	1-June-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.72
B	8-June-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.76
	8-June-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.79
	8-June-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.79
	8-June-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.02
	8-June-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.03
	8-June-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.76
	8-June-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.76
	8-June-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.78
	8-June-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.77
	8-June-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.70
C	15-June-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	0.87
	15-June-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.00
	15-June-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.19
	15-June-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.78
	15-June-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.83
	15-June-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.68
	15-June-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.77
	15-June-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.73
	15-June-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.54
	15-June-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.71
D	22-June-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.78
	22-June-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.73
	22-June-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.95
	22-June-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.90
	22-June-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.68
	22-June-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.82
	22-June-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.70
	22-June-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.70
	22-June-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.81
	22-June-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.87
A	29-June-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	1.06
	29-June-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	1.00
	29-June-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.03
	29-June-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.07
	29-June-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	1.01
	29-June-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.94
	29-June-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.75
	29-June-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	1.00
	29-June-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.94
	29-June-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.87

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

Joe Pineda  
Operations & Maintenance Supervisor

July 2, 2020  
Date of Report



# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, July

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
B	6-July-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.92
	6-July-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.91
	6-July-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.90
	6-July-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.09
	6-July-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.91
	6-July-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.91
	6-July-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.91
	6-July-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.93
	6-July-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.90
	6-July-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.83
C	13-July-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	0.85
	13-July-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.46
	13-July-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.05
	13-July-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.94
	13-July-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.92
	13-July-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.88
	13-July-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.95
	13-July-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.93
	13-July-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.62
	13-July-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.92
D	20-July-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	1.00
	20-July-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.91
	20-July-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.39
	20-July-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.74
	20-July-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.97
	20-July-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.81
	20-July-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.78
	20-July-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.86
	20-July-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.89
	20-July-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.89
A	27-July-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.93
	27-July-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	1.07
	27-July-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.58
	27-July-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.51
	27-July-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.99
	27-July-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.84
	27-July-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.70
	27-July-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.94
	27-July-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.82
	27-July-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.74

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

\_\_\_\_\_  
 Joe Pineda  
 Operations & Maintenance Supervisor

\_\_\_\_\_  
 August 8, 2020  
 Date of Report

## DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

REPORTING PERIOD: 2020, August

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
B	3-August-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.76
	3-August-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.81
	3-August-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	1.17
	3-August-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.05
	3-August-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.81
	3-August-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.80
	3-August-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.83
	3-August-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.80
	3-August-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.75
	3-August-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.77
C	10-August-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.03
	10-August-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.56
	10-August-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.56
	10-August-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	1.00
	10-August-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.90
	10-August-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.96
	10-August-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	1.00
	10-August-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.93
	10-August-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.69
	10-August-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.97
D	17-August-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.98
	17-August-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.83
	17-August-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.17
	17-August-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.94
	17-August-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.97
	17-August-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.79
	17-August-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.67
	17-August-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.76
	17-August-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.86
	17-August-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.85
A	24-August-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.73
	24-August-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.54
	24-August-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.18
	24-August-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	0.91
	24-August-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.77
	24-August-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.67
	24-August-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.56
	24-August-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.66
	24-August-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.66
	24-August-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.61
B	31-August-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.13
	31-August-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.99
	31-August-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.91
	31-August-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.25
	31-August-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.10
	31-August-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.99
	31-August-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.98
	31-August-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	1.05
	31-August-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.98
	31-August-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.92

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

Joe Pineda  
Operations & Maintenance Supervisor

August 3, 2020  
Date of Report



# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, September

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
C	8-Sep-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.22
	8-Sep-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.47
	8-Sep-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.57
	8-Sep-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.93
	8-Sep-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.89
	8-Sep-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.93
	8-Sep-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.97
	8-Sep-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.90
	8-Sep-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.76
	8-Sep-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.88
D	14-Sep-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	1.12
	14-Sep-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.87
	14-Sep-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.11
	14-Sep-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	1.02
	14-Sep-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.76
	14-Sep-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.82
	14-Sep-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.75
	14-Sep-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.78
	14-Sep-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.81
	14-Sep-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.80
A	21-Sep-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.84
	21-Sep-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.88
	21-Sep-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	0.99
	21-Sep-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	0.88
	21-Sep-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.85
	21-Sep-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.86
	21-Sep-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.56
	21-Sep-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.81
	21-Sep-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.72
	21-Sep-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.73
B	28-Sep-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.28
	28-Sep-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.87
	28-Sep-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	1.39
	28-Sep-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.48
	28-Sep-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.55
	28-Sep-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.80
	28-Sep-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.82
	28-Sep-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.80
	28-Sep-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.80
	28-Sep-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.73

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

\_\_\_\_\_  
**Joe Pineda**  
 Operations & Maintenance Supervisor

\_\_\_\_\_  
 October 5, 2020  
 Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, October

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
C	5-Oct-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.05
	5-Oct-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.04
	5-Oct-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.04
	5-Oct-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.88
	5-Oct-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.84
	5-Oct-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.78
	5-Oct-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.89
	5-Oct-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.86
	5-Oct-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.60
	5-Oct-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.85
D	12-Oct-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.99
	12-Oct-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	1.03
	12-Oct-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.34
	12-Oct-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	1.15
	12-Oct-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	1.02
	12-Oct-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.81
	12-Oct-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.77
	12-Oct-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.87
	12-Oct-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.82
	12-Oct-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.84
A	19-Oct-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.89
	19-Oct-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	1.23
	19-Oct-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.54
	19-Oct-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.42
	19-Oct-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.90
	19-Oct-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	0.82
	19-Oct-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.65
	19-Oct-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.82
	19-Oct-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.71
	19-Oct-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.79
B	26-Oct-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.07
	26-Oct-2020	Kelsey	MCWD	B2	DS-3136 Lynscoth Drive	Routine	Absent	Absent	0.84
	26-Oct-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	1.34
	26-Oct-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.46
	26-Oct-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.46
	26-Oct-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.84
	26-Oct-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.84
	26-Oct-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.86
	26-Oct-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.81
	26-Oct-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.78

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

## DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

REPORTING PERIOD: 2020, November

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
C	2-November-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.11
	2-November-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.09
	2-November-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.04
	2-November-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.91
	2-November-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.96
	2-November-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.77
	2-November-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.90
	2-November-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.92
	2-November-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.66
	2-November-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.87
D	9-November-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	0.92
	9-November-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	0.92
	9-November-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	1.27
	9-November-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	1.03
	9-November-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.93
	9-November-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.90
	9-November-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.86
	9-November-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.87
	9-November-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.96
	9-November-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.89
A	16-November-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.98
	16-November-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	1.09
	16-November-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.52
	16-November-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.49
	16-November-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	0.98
	16-November-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	1.80
	16-November-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.70
	16-November-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.92
	16-November-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.88
	16-November-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.91
B	23-November-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	1.00
	23-November-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.97
	23-November-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	1.08
	23-November-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	1.04
	23-November-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	1.03
	23-November-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.91
	23-November-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.94
	23-November-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	1.10
	23-November-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.95
	23-November-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.83
C	30-November-2020	Kelsey	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.55
	30-November-2020	Kelsey	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.66
	30-November-2020	Kelsey	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.57
	30-November-2020	Kelsey	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	1.00
	30-November-2020	Kelsey	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	1.02
	30-November-2020	Kelsey	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.81
	30-November-2020	Kelsey	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.92
	30-November-2020	Kelsey	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.97
	30-November-2020	Kelsey	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.68
	30-November-2020	Kelsey	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.91

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.

Joe Pineda  
Operations & Maintenance Supervisor

12/3/2020  
Date of Report

# DISTRIBUTION SYSTEM COLIFORM MONITORING REPORT

SYSTEM NAME: MARINA COAST WATER DISTRICT WATER SYSTEM

SYSTEM NUMBER: 2710017

REPORTING PERIOD: 2020, December

LABORATORY: Monterey Bay Analytical

ELAP CERTIFICATE: 2385

METHOD: SM9223B – Colilert

GROUP	DATE COLLECTED	COLLECTED BY	EMPLOYED BY	SAMPLE NUMBER	SAMPLING POINT	SAMPLE TYPE	TOTAL COLIFORM	E. coil	Chlorine Residual (mg/L)
D	7-Dec-2020	Kelsey	MCWD	D1	DS-263 Grant Street	Routine	Absent	Absent	1.24
	7-Dec-2020	Kelsey	MCWD	D2	DS-3020 Jean Street	Routine	Absent	Absent	1.00
	7-Dec-2020	Kelsey	MCWD	D3	DS-266 Cosky Drive	Routine	Absent	Absent	0.90
	7-Dec-2020	Kelsey	MCWD	D4	DS-3180 Ninole Drive	Routine	Absent	Absent	0.87
	7-Dec-2020	Kelsey	MCWD	D5	DS-3203 DeForest Road	Routine	Absent	Absent	0.94
	7-Dec-2020	Kelsey	MCWD	D6	DS 1701 Eichelberger Court	Routine	Absent	Absent	0.88
	7-Dec-2020	Kelsey	MCWD	D7	DS 3071 Wittenmyer Court	Routine	Absent	Absent	0.80
	7-Dec-2020	Kelsey	MCWD	D8	DS 11th Street-Imjin Road	Routine	Absent	Absent	0.88
	7-Dec-2020	Kelsey	MCWD	D9	DS 110 Nijmegen Road	Routine	Absent	Absent	0.85
7-Dec-2020	Kelsey	MCWD	D10	DS 180 Okinawa Road	Routine	Absent	Absent	0.92	
A	14-Dec-2020	Kelsey	MCWD	A1	DS-3324 Abdy Way	Routine	Absent	Absent	0.86
	14-Dec-2020	Kelsey	MCWD	A2	DS-3020 King Circle	Routine	Absent	Absent	0.83
	14-Dec-2020	Kelsey	MCWD	A3	DS-3166 Crescent Avenue	Routine	Absent	Absent	1.12
	14-Dec-2020	Kelsey	MCWD	A4	DS-221 Cypress Avenue	Routine	Absent	Absent	1.19
	14-Dec-2020	Kelsey	MCWD	A5	DS-3106 Bayer Street	Routine	Absent	Absent	1.00
	14-Dec-2020	Kelsey	MCWD	A6	DS 5871 Imjin Road	Routine	Absent	Absent	1.13
	14-Dec-2020	Kelsey	MCWD	A7	DS 3570 3rd Street	Routine	Absent	Absent	0.63
	14-Dec-2020	Kelsey	MCWD	A8	DS 326 Carentan Road	Routine	Absent	Absent	0.83
	14-Dec-2020	Kelsey	MCWD	A9	DS 180 Bataan Road	Routine	Absent	Absent	0.82
	14-Dec-2020	Kelsey	MCWD	A10	DS 5060 Fitch Middle School	Routine	Absent	Absent	0.82
B	21-Dec-2020	Kelsey	MCWD	B1	DS-3076 Clarke Place	Routine	Absent	Absent	0.83
	21-Dec-2020	Kelsey	MCWD	B2	DS-3136 Lynscott Drive	Routine	Absent	Absent	0.86
	21-Dec-2020	Kelsey	MCWD	B3	DS-3270 Michael Drive	Routine	Absent	Absent	0.88
	21-Dec-2020	Kelsey	MCWD	B4	DS-3100 Everett Circle	Routine	Absent	Absent	0.88
	21-Dec-2020	Kelsey	MCWD	B5	DS-300 Quebrada del Mar Road	Routine	Absent	Absent	0.95
	21-Dec-2020	Kelsey	MCWD	B6	DS 3438 Spotsylvania Court	Routine	Absent	Absent	0.83
	21-Dec-2020	Kelsey	MCWD	B7	DS 6th Avenue 53	Routine	Absent	Absent	0.84
	21-Dec-2020	Kelsey	MCWD	B8	DS 4235 Gigling Road	Routine	Absent	Absent	0.83
	21-Dec-2020	Kelsey	MCWD	B9	DS 1830 Cassino Road	Routine	Absent	Absent	0.80
	21-Dec-2020	Kelsey	MCWD	B10	DS Seaside High School	Routine	Absent	Absent	0.71
C	28-Dec-2020	Foster	MCWD	C1	DS-3106 Flower Circle	Routine	Absent	Absent	1.13
	28-Dec-2020	Foster	MCWD	C2	DS-3073 Zanetta Drive	Routine	Absent	Absent	1.42
	28-Dec-2020	Foster	MCWD	C3	DS-3196 Melanie Road	Routine	Absent	Absent	1.00
	28-Dec-2020	Foster	MCWD	C4	DS-3345 Cardoza Avenue	Routine	Absent	Absent	0.81
	28-Dec-2020	Foster	MCWD	C5	DS-3271 Cove Way	Routine	Absent	Absent	0.71
	28-Dec-2020	Foster	MCWD	C6	DS 314 Ardennes Circle	Routine	Absent	Absent	0.81
	28-Dec-2020	Foster	MCWD	C7	DS 325 Buna Road	Routine	Absent	Absent	0.90
	28-Dec-2020	Foster	MCWD	C8	DS 207 Rome Road	Routine	Absent	Absent	0.86
	28-Dec-2020	Foster	MCWD	C9	DS Airport Vault	Routine	Absent	Absent	0.62
	28-Dec-2020	Foster	MCWD	C10	DS 4790 Peninsula Point Drive	Routine	Absent	Absent	0.83

Marina Coast Water District-WS BSSP, Dec. 5, 2006, A ended November 30, 2012. Group sampling is on weekly rotation.